



BaHaMAS: A Bash Handler to Monitor and Administrate Simulations

Alessandro Sciarra

Goethe University (Frankfurt am Main)

Granada, 23 June 2017

35th International Symposium on Lattice Field Theory



Outline of the talk

Origin of the code

Motivation

BaHaMAS in one slide

BaHaMAS at work


Summary and Perspectives



Origin of BaHaMAS as disclaimer



<https://github.com/AG-Philipsen/cl2qcd>




<https://github.com/AG-Philipsen/BaHaMAS>

Origin of BaHaMAS as disclaimer



<https://github.com/AG-Philipsen/cl2qcd>




<https://github.com/AG-Philipsen/BaHaMAS>

Code still in an intense development phase

Origin of BaHaMAS as disclaimer



Present structure of the code



Better structure to extract software dependence (now hard-coded)



Additional scheduler and software planned to be added

Code still in an intense development phase

Daily finite temperature lattice QCD

Running simulations on a supercomputer



- A job scheduler controls the execution of programs on the cluster
- To run a simulation, a job-script file has to be produced
- The application often needs an input file as well with physical parameters
- To produce the required files by hand is the most error-prone way to proceed
- To continue a (maybe crashed) simulation is often needed
- Resuming simulations from previous checkpoints requires cleaning operations
- Working by hand is *deadly* uncomfortable and inefficient!

~ 1500 runs

[A. Sciarra et al., Phys.Rev. D93 (2016)]

~ 1250 runs

[A. Sciarra et al., PoS LATTICE (2016)]

BaHaMAS at a glance

A Bash Handler to Monitor and Administrate Simulations




- Ready to go (easy interactive setup)
- Every operation is automatized: just run a script with command line options!
- Physical parameters contained in folders path and in β -file
- User friendly behaviour through smart use of β -file
- Thermalisation handled automatically using fixed naming scheme of folders
- Job-script parameters given as command line option or automatically set
- Starting, continuing and resuming simulations is straightforward
- Monitor status of simulations for different β with few keystrokes (-1 option)
- Monitor status of *all* simulations using database functionality

BaHaMAS at a glance

A Bash Handler to Monitor and Administrate Simulations



Time to handle $\mathcal{O}(10^2)$ simulations



Even easier with *goal statistic* and *time per trajectory* fields in β -file!



Further functionality in overview and database to keep under control the remaining cost in time of the project are planned to be added

BaHaMAS at work

The β -file and the available fields



- ➡ Value of β as first, mandatory entry
- ➡ Other fields with one character prefix, in any order

PRNG seed	sXXXX	
Integrator steps	iX-Y	
Goal statistics	gXXXXXX	
Time per trajectory	tX.YZ	
Resume trajectory	rXXXXX	or rlast

 If needed, new ones in future

BaHaMAS at work

The β -file and the available fields



- ➡ Value of β as first, mandatory entry
- ➡ Other fields with one character prefix, in any order

PRNG seed	sXXXX	
Integrator steps	iX-Y	 If needed, new ones in future
Goal statistics	gXXXXXX	
Time per trajectory	tX.YZ	
Resume trajectory	rXXXXX	or rlast

Two examples:


5.4280	s4280	i10-23	g95000	t170	rlast
5.4280	s5391	i10-23	g95000		rlast
5.4340	s4340	i10-21	g75000		rlast
5.4340	s5451	i10-21	g75000		rlast
<hr/>					
5.8770		i4-9			rlast
5.8810		i4-9			r23000

BaHaMAS at work

The thermalisation phase and the naming scheme



`/pathToSubmitDisk/namOfTheProject/NfX/muiX/massXXXX/ntX/nsXX`



Main physical parameters contained in and extracted from path!

BaHaMAS at work

Monitor the status of the simulations in real time (--liststatus option)



(Example from previous to latest version of BaHaMAS)

Beta	Traj. Done (Acc.) [Last 1000]	int0-1-2-kmp	Status	Max DS	Last tr. finished	Tr: #
5.4330_s4330_NC	60000 (84.54 %) [80.00 %]	10-17	PENDING	4.24899	----- sec. ago	64999
5.4330_s4330_fc	4000 (97.67 %) [98.30 %]	10-29	notQueued	0.262304	----- sec. ago	4999
5.4330_s5441_NC	60000 (84.82 %) [82.60 %]	10-17	PENDING	5.007	----- sec. ago	64999
5.4330_s6552_NC	60000 (84.37 %) [80.50 %]	10-17	PENDING	5.01998	----- sec. ago	64999
5.4330_s7663_NC	60000 (84.50 %) [76.30 %]	10-17	PENDING	4.34834	----- sec. ago	64999
5.4350_s4350_fH	1000 (97.50 %) [97.50 %]	10-32	notQueued	4.0071	----- sec. ago	999
5.4360_s4360_NC	66709 (86.54 %) [86.00 %]	10-17	RUNNING	3.8505	29 sec. ago	71708
5.4360_s4360_fc	4000 (97.90 %) [97.90 %]	10-29	notQueued	0.213323	----- sec. ago	4999
5.4360_s5471_NC	67189 (85.98 %) [79.90 %]	10-17	RUNNING	4.17417	20 sec. ago	72188
5.4360_s6582_NC	66165 (86.06 %) [80.30 %]	10-17	RUNNING	4.67013	12 sec. ago	71164
5.4360_s7693_NC	66726 (86.13 %) [81.10 %]	10-17	RUNNING	3.94837	9 sec. ago	71725
5.4390_s4390_NC	69317 (82.40 %) [78.70 %]	10-16	RUNNING	6.72853	11 sec. ago	74316
5.4390_s4390_fc	4000 (98.00 %) [97.60 %]	10-29	notQueued	0.234035	----- sec. ago	4999
5.4390_s5401_NC	69567 (82.69 %) [79.90 %]	10-16	RUNNING	27.41427	36 sec. ago	74566
5.4390_s6512_NC	69529 (84.67 %) [83.70 %]	10-17	RUNNING	6.50622	23 sec. ago	74528
5.4390_s7623_NC	67410 (81.57 %) [74.60 %]	10-16	RUNNING	6.63593	31 sec. ago	72409
5.4400_s4400_fH	1000 (96.80 %) [96.80 %]	10-32	notQueued	11.2124	----- sec. ago	999
5.4420_s4420_NC	60000 (81.50 %) [83.60 %]	10-16	RUNNING	7.31466	1025 sec. ago	64999
5.4420_s5531_NC	59443 (80.92 %) [66.80 %]	10-16	RUNNING	7.06359	28 sec. ago	64442
5.4420_s6642_NC	59946 (81.36 %) [91.00 %]	10-17	RUNNING	7.90988	1 sec. ago	64945
5.4420_s7753_NC	59392 (80.49 %) [78.00 %]	10-16	RUNNING	6.51365	13 sec. ago	64391
5.4450_s4450_NC	36555 (81.35 %) [82.60 %]	10-16	RUNNING	5.67753	32 sec. ago	41554
5.4450_s4450_fH	1000 (98.00 %) [98.00 %]	10-32	notQueued	8.78924	----- sec. ago	999
5.4450_s5561_NC	37272 (82.83 %) [88.40 %]	10-16	RUNNING	6.22743	12 sec. ago	42271
5.4450_s6672_NC	36562 (81.54 %) [76.40 %]	10-16	RUNNING	4.89611	5 sec. ago	41561
5.4450_s7783_NC	34850 (81.70 %) [85.50 %]	10-16	RUNNING	6.07066	14 sec. ago	39849

Column containing the time needed to perform one trajectory omitted for readability reasons

BaHaMAS at work

The database report of the simulations (`--database --report options`)



(Example from previous to latest version of BaHaMAS)

AUTOMATIC REPORT FROM DATABASE (status on 26.08.2016 at 08:16)

```
Simulations on broken GPU:      1
Simulations with too low acceptance - last 1k:  0 - 1 [ 0%, 68% )
Simulations with low acceptance - last 1k:     0 - 1 [ 68%, 70% )
Simulations with optimal acceptance - last 1k: 28 - 52 [ 70%, 78% ]
Simulations with high acceptance - last 1k:   401 - 373 ( 78%, 90% ]
Simulations with too high acceptance - last 1k: 111 - 113 ( 90%, 100% ]
Simulations running:          113
Simulations pending:          0
Simulations stuck (or finished): 10
Simulations running fine:     103
Output files to be cleaned:    0
```

Use `-ds | --dataBase --show` option to display set of simulations.

-  Better naming of each entry in the report
-  Distinguish between finished and stuck simulations (using goal field in β -file)
-  New entries about overall statistics on the project

To understand which simulations are problematic cannot be easier!

Summary and Perspectives



At the moment:

- BaHaMAS is a tool to *efficiently* run LQCD simulations on supercomputers
- Just one single, user friendly script
- Production of configurations fully automatised
- Monitoring of ongoing simulations straightforward
- Comfortable handling hundreds of runs at the same time

Coming soon:

- Better structure of the code to extract software dependence
- New functionality in `--liststatus` option and in database
- Handling of future development soon using the gitflow scheme
- New scheduler/software probably included

Any suggestion, feedback or bug report is welcome!

Thank You

